



AUTEX® QUIETSPACE 3D WALL TILE S-5.37

Application:

Decorative and functional acoustic surface for residential, office, education, retail, hospitality and commercial interiors. Minimise noise in the interior environment and create unique finishes and features

Specification:

- Product Name: Quietspace® 3D Tile
- Style: S-5.37
- Composition: 100% Polyester Fibre (PET)
- Tile Dimensions: Classic: 575mm x 575mm
- Thickness Min: 31mm Max: 140mm
- Pack Size: 6 Tiles per box
- Installation Fittings: Mounting Clips supplied

SKU: VCAUTEXQS3DWALL537

GALLERY IMAGES



PRODUCT DESCRIPTION

Open the realms of acoustic design flexibility with Quietspace® 3D Tile; a modular acoustic wall tile designed to create a contemporary finish and add simple and effective acoustic control to any interior environment.

Lightweight and semi-rigid; Quietspace® 3D Tile redefines sustainable design whilst reducing reverberated sound and controlling background noise. Made from 100% polyester and containing a minimum of


60% post-consumer recycled material, Quietspace® 3D Tile is completely safe, non-toxic, non-allergenic, non-irritant and certified low VOC.

Suitable for residential, office, education, retail and hospitality spaces; redefine your environment with Quietspace® 3D Tile..

Acoustic Performance:

Quietspace® 3D Tile is specifically designed to reduce and control reverberated (echo) noise in building interiors.

Minimum Noise Reduction Coefficient 0.75



| Frequency (Hz) | 125 | 250 | 500 | 1000 | 2000 | 4000 | NRC |
|------------------------|------|------|------|------|------|------|------|
| α_p Without AAB | 0.15 | 0.45 | 0.65 | 0.90 | 0.90 | 0.80 | 0.75 |
| α_p With AAB* | 0.25 | 0.60 | 0.85 | 1.00 | 0.95 | 0.80 | 0.90 |

* Results with the addition of Autex AAB 35-25 polyester absorber inserts in back of tiles.



Q Office Furniture
02 63 62 3530
enquiries@qof.com.au
www.qof.com.au



Q Office Furniture
02 63 62 3530
enquiries@qof.com.au
www.qof.com.au