Q Office Furniture
02 63 62 3530
enquiries@qof.com.au
www.qof.com.au



AUTEX® QUIETSPACE 3D WALL TILE S-5.37

Application:


Decorative and functional acoustic surface for residential, office, education, retail, hospitality and commercial interiors. Minimise noise in the interior environment and create unique finishes and features

Specification:

- Product Name: Quietspace® 3D Tile
- Style: S-5.37
- Composition: 100% Polyester Fibre (PET)
- Tile Dimensions: Classic: 575mm x 575mm
- Thickness Min: 31mm Max: 140mm
- Pack Size: 6 Tiles per box
- Installation Fittings: Mounting Clips supplied

SKU: VCAUTEXQS3DWALL537

GALLERY IMAGES







PRODUCT DESCRIPTION

Open the realms of acoustic design flexibility with Quietspace® 3D Tile; a modular acoustic wall tile designed to create a contemporary finish and add simple and effective acoustic control to any interior environment.

Lightweight and semi-rigid; Quietspace® 3D Tile redefines sustainable design whilst reducing reverberated sound and controlling background noise. Made from 100% polyester and containing a minimum of


60% post-consumer recycled material, Quietspace® 3D Tile is completely safe, non-toxic, non-allergenic, non-irritant and certified low VOC.

Suitable for residential, office, education, retail and hospitality spaces; redefine your environment with Quietspace® 3D Tile..

Acoustic Performance:

Quietspace® 3D Tile is specifically designed to reduce and control reverberated (echo) noise in building interiors.

Minimum Noise Reduction Coefficient 0.75



Frequency (Hz)	125	250	500	1000	2000	4000	NRC
αP Without AAB	0.15	0.45	0.65	0.90	0.90	0.80	0.75
αP With AAB*	0.25	0.60	0.85	1.00	0.95	0.80	0.90

* Results with the addition of Autex AAB 35-25 polyester absorber inserts in back of tiles.