



DELUXE RAPID INFINITY 5 PERSON SINGLE SIDED WORKSTATION - WITH SCREENS - 1200MM W X 750MM D SCALLOP TOPS

Deluxe Rapid Infinity 5 Person Single Sided
Workstation - With Screen
Worksurface With 410mm W x 50mm D
Scallop Cable Access
6000mm W x 780mm D x 730mm H
(Overall), 1200mm W x 750mm D x 730mm
H (Per User). 60mm x 45mm Bevelled Edge
Loop Leg Underframe
495mm H x 30mm T Pinnable Privacy Screen
Upholstered In Fabric

SKU: D-ILLSWS5P1275

VARIATIONS

lmage	SKU	Price Description	Leg colour	Top colour	Screen colour
	D-ILLSWS5P1275		Black	Oak	Black Fabric with White Frame



Image	SKU	Price Description	Leg colour	Top colour	Screen colour
	D-ILLSWS5P1275 NO/BL		Black	Oak	Grey Fabric with Black Frame
11 11 11 11	D-ILLSWS5P1275 NW/BL		Black	White	Black Fabric with White Frame
1 11 11 11	D-ILLSWS5P1275		Black	White	Grey Fabric with Black Frame
	D-ILLSWS5P1275 NO/WS		White	Oak	Black Fabric with White Frame
	D-ILLSWS5P1275		White	Oak	Grey Fabric with Black Frame
	D-ILLSWS5P1275 NW/WS		White	White	Black Fabric with White Frame





lmage	SKU	Price Description	Leg colour	Top colour	Screen colour
	D-ILLSWS5P1275		White	White	Grey Fabric with Black Frame



GALLERY IMAGES





PRODUCT DESCRIPTION

Maximise space and create an efficient working environment with Deluxe Rapid Infinity. 750mm deep Enviroboard tops, with scallop for cable access, and a recessed leg to create full leg access in long runs of workstations.

The bevelled edge loop leg finishes each workstation run with a premium look, and the matching dividing screen adds privacy and noise reduction to each workstation.



White or oak tops, and black or white frames create a modern, clean look to your fit out.

Finishes:



Product Features

- Deluxe Infinity with Deeper 750mm Top
- Scalloped top for easy wire management
- Recessed Intermediate Leg Creates Full Leg Access
- 60 x 30 Profile End Leg
- Double Support Rail for Extra Strength
- E1 Enviroboard
- Natural Oak/Black, Natural Oak/White
- Natural White/Black, Natural White/White
- 5 Year Warranty

Specifications

- D-ILLSWS5P1275: 6000mm (W) x 750mm (D) x 1200mm (H)
- D-ILLSWS5P1575: 7500mm (W) x 750mm (D) x 1200mm (H)
- D-ILLSWS5P1875: 9000mm (W) x 750mm (D) x 1200mm (H)



