



DELUXE RAPID INFINITY 6 PERSON DOUBLE SIDED WORKSTATION -WITH SCREENS - 1800MM W X 750MM D SCALLOP WORKTOPS

Deluxe Rapid Infinity 6 Person Double Sided Workstation - With Screen Worksurface With 410mm W x 50mm D Scallop Cable Access 5400mm W x 1530mm D x 1200mm H (Overall), 1800mm W x 750mm D x 730mm H (Per User), 60mm x 30mm Profile Leg Underframe 495mm H x 30mm T Pinnable Privacy Screen Upholstered In Fabric

SKU: D-IPLDWS6P1875

VARIATIONS


| Image | SKU | Price Description | Leg colour | Top colour | Screen colour |
|-------|-------------------------|-------------------|---------------|---------------|-------------------------------------|
| | D-IPLDWS6P1875 NO/WS | | Black | Oak | Black Fabric with White Frame |



| lmage | SKU | Price Description | Leg colour | Top colour | Screen colour |
|-------|-------------------------|--------------------------|---------------|---------------|-------------------------------------|
| | D-IPLDWS6P1875 NO/BL | | Black | Oak | Grey Fabric with Black Frame |
| | D-IPLDWS6P1875 NW/WS | | White | White | Black Fabric with White Frame |
| | D-IPLDWS6P1875 | | White | White | Grey Fabric with Black Frame |



GALLERY IMAGES





PRODUCT DESCRIPTION

Maximise space and create an efficient working environment with Deluxe Rapid Infinity. 750mm deep Enviroboard tops, with scallop for cable access, and a recessed leg to create full leg access in long runs of workstations.

The 60×30 profile leg adds a minimalist look to each workstation run, and the matching dividing screen adds privacy and noise reduction to each workstation.



White or oak tops, and black or white frames create a modern, clean look to your fit out.

Finishes:



Product Features

- Deluxe Infinity with Deeper 750mm Top
- Scalloped top for easy wire management
- Recessed Intermediate Leg Creates Full Leg Access
- 60 x 30 Profile End Leg
- Double Support Rail for Extra Strength
- E1 Enviroboard
- Natural Oak/Black, Natural Oak/White
- Natural White/Black, Natural White/White
- 5 Year Warranty

Specifications

- D-IPLD8P1275: 4800mm (W) x 1530mm (D) x 730mm (H)
- D-IPLD8P1575: 6000mm (W) x 1530mm (D) x 730mm (H)
- D-IPLD8P1875: 7200mm (W) x 1530mm (D) x 730mm (H)

